



RHEIN LIGHTING

We love the LED industry and are committed to better products and services.

**WE LOVE THE LED INDUSTRY
AND ARE COMMITTED TO
BETTER PRODUCTS AND
SERVICES**



RHEIN LIGHTING TECHNOLOGY CO., LIMITED.

Address: 107th, Dongning Road, Jianghai District, Jiangmen City, China
Mobile: 0086 18676039882
Email: manager@rhein8.com
www.rheinlighting.com

www.rheinlighting.com



About US



Established in 1998



R&D Team



Production Automation



Export to Country



Rhein Lighting Technology Co., Limited established in 1998. We are Specialize in LED Manufacturing.

Rhein Lighting got UL/ETL certificate for USA and Canada market, TUV CE for Europe market. We have a mature R&D team and the production automation rate more than 80%.

The main products include Flexible LED Strip light, LED Panel light, LED UFO high bay, LED outdoor project light and so on..... Our products are selling to more than 50 countries and regions such as Europe and USA, Australia, Japan and Korea....

Group Principle: "We love the LED industry and are committed to better products and services." .

Staff Principle: "Passionate, and Innovation"

Rhein Lighting are looking forward to create a brighter future with you.

CONSTRUCTION

LED Strip Light



INTRODUCE

Our Construction LED strip light are widely used in construction sites, workplaces, fire escapes on stairs, coal mine tunnels and so on....

Our Strip is divided into independent segments of 1 meter which means that if a segment break, the rest will continue to illuminate so the work can continue.



FEATURES

- 1--Super High brightness and Energy-saving.
- 2--Fast installation kit with snap connector.
- 3--Easy installed and convenient for buliders.
- 4--100-240V input directly, No need Adaptor.
- 5--Length can be DIY, connected in series up to 100 meters.
- 6--IP67 rate for indoor or outdoor use.
- 7--**Packing:** 10M/15M/20M/25M/50M/100M per roll available and can be customized.

MULTIPLE SOCKETS CAN BE REPLACED



INTRODUCE

Item	LED QTY Per meter	Color	Working voltage	Certificate	Beam Angle
Construction LED strip light	120pcs 180pcs	3000K 4000K 5000K 6000K	100-130V AC or 200-240V AC	TUV CE ETL ERP Reach	120°
	360pcs (Both front and back can be illuminated)	Yellow Blue Red Green			360°

LED SHAFT LIGHTS



INTRODUCE

Our LED strip light are widely used in elevator shafts. It can be cut every meter, and the length can be freely selected, up to 100 meters long. It is easy to install. Just hang the light strip from the top of the elevator shaft and fasten the led strip light firmly with the installation clip. The installation and maintenance costs are lower.



FEATURES

- 1--Super High brightness and Energy-saving.
- 2--Lower installation and maintenance costs.
- 3--Easy installed and convenient for buliders.
- 4--100-240V input directly, No need Adaptor.
- 5--Length can be DIY, connected in series up to 100 meters.
- 6--IP67 rate for indoor or outdoor use.
- 7--**Packing:** 50M/100M per roll available and can be customized.

PARTIAL CLOSE-UP EFFECT



INTRODUCE

Item	LED QTY Per meter	Color	Working voltage	Certificate	Beam Angle
LED Shaft Lights	60pcs 120pcs 180pcs	3000K 4000K 5000K 6000K	100-130V AC or 200-240V AC	TUV CE ETL ERP Reach	120°



ARBITRARY CUTTING LED STRIP LIGHT

LED Chip 2835SMD | IP Rate IP67 | Lifespan >50,000Hours

INTRODUCE

Our Arbitrary cutting LED light strips is our patented product. He can cut it at any position on the light strip and the light strip will work normally.

It can fit different length requirements of customer projects for light strips.

FEATURES

- 1--Super High brightness and Energy-saving.
- 2--You are free to choose any length.
- 3--Easy installed and convenient for project.
- 4--100-240V input directly, No need Adaptor.
- 5--IP67 rate for indoor or outdoor use.
- 6--**Packing:** 50M/100M per roll available and can be customized.

INTRODUCE

Item	LED QTY Per meter	Color	Working voltage	Certificate	Beam Angle
Arbitrary cutting LED strip light	120pcs	3000K 4000K 5000K 6000K	100-130V AC or 200-240V AC	TUV CE ETL ERP Reach	120°



ULTRA HIGH BRIGHTNESS LED STRIP LIGHT

LED Chip 2835SMD | IP Rate IP67 | Lifespan >50,000Hours

INTRODUCE

Ultra High brightness LED strip light is our patented product, Reach 175LM per Wat.

We use specially customized LED Chip to ensure that our products achieve ultra-high brightness and ensure that the products are unique in the current market.

FEATURES



- 1--Super High brightness more than **175LM/W**.
- 2--Length can be DIY, connected in series up to 100 meters.
- 3--Easy installed and convenient for project.
- 4--100-240V input directly, No need Adaptor.
- 5--IP67 rate for indoor or outdoor use.
- 6--**Packing:** 50M/100M per roll available and can be customized.

INTRODUCE

Item	LED QTY Per meter	Color	Working voltage	Certificate	Beam Angle
Ultra High brightness LED strip light	120pcs	3000K 4000K 5000K 6000K	100-130V AC or 200-240V AC	TUV CE ETL ERP Reach	120°

360 DEGREE LUMINOUS LED STRIP LIGHT

LED Chip 2835SMD | IP Rate IP67 | Lifespan >50,000Hours



INTRODUCE

Our 360 degree luminous LED Strip Light is equipped on both sides with 2 X 180 LEDs per meter and per side. This means that the strip light shines on both sides and is designed for use in stairwells, workplaces, lift shafts, corridors or tunnels and so on...

FEATURES

- 1--Super High brightness and Energy-saving.
- 2--Length can be DIY, connected in series up to 100 meters.
- 3--Easy installed and convenient for builder.
- 4--100-240V input directly, No need Adaptor.
- 5--IP67 rate for indoor or outdoor use.
- 6--**Packing:** 10M/15M/20M/25M/50M/100M per roll available and can be customized.

INTRODUCE

Item	LED QTY Per meter	Color	Working voltage	Certificate	Beam Angle
360° LED strip light	360pcs (Both front and back can be illuminated)	3000K 4000K 5000K 6000K	100-130V AC or 200-240V AC	TUV CE ETL ERP Reach	360°

COB LED STRIP LIGHT

LED Chip COB SMD | IP Rate IP67 | Lifespan >50,000Hours



INTRODUCE

Our COB LED strip light is our patented product.

The light is even and does not irritate the eyes. Very suitable for high-end lighting projects.

FEATURES

- 1--Super High brightness and Energy-saving.
- 2--Length can be DIY, connected in series up to 100 meters.
- 3--Easy installed and convenient for project.
- 4--100-240V input directly, No need Adaptor.
- 5--IP67 rate for indoor or outdoor use.
- 6--**Packing:** 50M/100M per roll available and can be customized.

INTRODUCE

Item	LED QTY Per meter	Color	Working voltage	Certificate	Beam Angle
COB LED strip light	288pcs 420pcs	3000K 4000K 5000K 6000K	100-130V AC or 200-240V AC	TUV CE ETL ERP Reach	120°



INTRODUCE

Our RGB light strips are widely used in building exterior decoration, garden decoration and interior decoration.


It can be freely changed in color via WIFI/Bluetooth/remote control. Make your space more vivid, exciting and attractive.

FEATURES

- 1--Super High brightness and Energy-saving.
- 2--More than 30 color changing effects.
- 3--100-240V input directly, No need Adaptor.
- 4--Length can be DIY, connected in series up to 100 meters.
- 5--IP67 rate for indoor or outdoor use.
- 6--**Packing:** 50M/100M per roll available and can be customized.

INTRODUCE

Item	LED QTY Per meter	Color	Control Type	Working voltage	Certificate	Beam Angle
RGB LED strip light	60pcs	RGB	WiFi Bluetooth Remote control	100-130V AC or 200-240V AC	TUV CE ETL ERP Reach FCC	120°
RGBW LED strip light		RGB+white RGB+ Warm white				



FLEXIBLE LED NEON LIGHT


FEATURES

- 1--Super High brightness and Energy-saving.
- 2--More than 30 color changing effects.
- 3--100-240V input directly, No need Adaptor.
- 4--Length can be DIY, connected in series up to 100 meters.
- 5--IP67 rate for indoor or outdoor use.
- 6--**Packing:** 50M/100M per roll available and can be customized.

INTRODUCE

Our LED neon light are widely used in building exterior decoration, garden decoration and interior decoration.



It can be Single color or freely changed color via WIFI/Bluetooth/remote control. Make your space more vivid, exciting and attractive.





INTRODUCE

Item	LED QTY Per meter	Color	Control Type	Working voltage	Certificate	Beam Angle
Flexible LED Neon light	120pcs	2700K 4000K 5000K 6000K Pink Blue Red Green RGB	WiFi Bluetooth Remote control	100-130V AC or 200-240V AC	TUV CE ETL ERP Reach FCC	120°

12V/24V COB LED STRIP LIGHT

 LED Chip
COB SMD
  IP Rate
IP20 / IP67 / IP68
  Lifespan
>50,000Hours



INTRODUCE

Our 12V / 24V COB LED strip light is our patented product.

The light is even, no light dot or light spot and does not irritate the eyes. Very suitable for high-end lighting projects.

FEATURES

- 1--Super High brightness and Energy-saving.
- 2--Low voltage working, more safe.
- 3--Easy installed and convenient for project.
- 4--Can be cut every 3 led. DIY the length you want.
- 5--**Packing:** 5M/10M per roll.

INTRODUCE

Item	LED QTY Per meter	Color	Working voltage	Cutting	Certificate	Beam Angle
12V/24V COB LED Strip Light	252pcs 320pcs 480pcs 576pcs	2700K 3000K 4000K 5000K 6000K 2CCT 3000K+5000K RGB	DC 5V DC 12V DC 24V	Every 3 Led can be cut	TUV CE ETL ERP Reach	180°


12V/24V LED STRIP LIGHT



FEATURES

- 1--Super High brightness and Energy-saving.
- 2--Low voltage working, more safe.
- 3--Easy installed and convenient for project.
- 4--Can be cut every 3 led. DIY the length you want.
- 5--**Packing:** 5M/10M per roll.

OTHER LOW-VOLTAGE PRODUCTS




INTRODUCE

Item	LED QTY Per meter	Color	Working voltage	Cutting	Certificate	Beam Angle
12V/24V LED Strip Light	60pcs 120pcs 180pcs 240pcs	white warmwhite Yellow Blue Red Green RGB RGBW RGB+WW	12V DC or 24V DC	Every 3 Led can be cut	TUV CE ETL ERP Reach	180°



We have aluminum profile in various sizes to meet our customers' project needs. And we also offer size customization services.



LED PANEL LAMP SERIES

LED Chip 2835SMD | IP Rate IP20 | Lifespan >50,000Hours



FEATURES

- 1--ETL LED Panel light standard with Junction box and Triac Dimmable.
- 2--CE LED panel light with CE Driver.
- 3--Suitable for home, hotel, office, shopping mall and so on.



INTRODUCE

Item	Dimmable	Color	Working voltage	Certificate	Size	Beam Angle
LED Panel light	Triac Dimming	Cool white Natural white Warm white 3CCT 5CCT	ETL Standard 100-130V AC or CE Standard 85-265V AC	CE ETL	4" 6" 8" 10" 12"	120°

FEATURES


- 1--110-120LM/W high Lumen efficiency.
- 2--The diffuser will never become yellow.
- 3--With ETL DCL CE certificate.



INTRODUCE

Item	Dimmable	Color	Working voltage	Certificate	Size	Beam Angle
LED Panel light	0-10V or Triac Dimming	Cool white Natural white Warm white 3CCT	ETL Standard 100-277V AC or CE Standard 85-265V AC	CE ETL	2x2" Feet 2x4" Feet or 60x60mm 60x120mm	120°

3CCT LED UFO LAMP SERIES



Advanced Solid Heat Dissipation Design

Making heatsink reasonably cool to keep the led high bay light more longer effective service life.



EASY & QUICKLY INSTALLATION

G GJIA high bay led light can install in any ceiling




Adopt Solid & Sturdy design ensure more than 50000 hours life time



Energy Efficient

Heavy Duty & Solid Build Industrial grade design make sure you like the high bay light



INTRODUCE

Our LED UFO Lamp can be easily converted to different powers and colors via buttons pre-installed on the lamp body. One lamp can be converted into 9 specifications, greatly reducing inventory.

FEATURES

- 1--Super High brightness and Energy-saving.
- 2--More than 150LM/W.
- 3--Color and Power adjustable.
- 4--0-10V Dimming.



INTRODUCE

Item	Size	Color Adjustable	Power Adjustable	Working voltage	Certificate	Beam Angle
3CCT LED UFO Lamp	Ø320*H150mm	3CCT from 4000K 5000K 6000K	Power Adjustable from 100W/120W/150W	100-347V AC	TUV CE ETL ERP	90°
	Ø380*H150mm		Power Adjustable from 180W / 210W / 240W			

LED INGROUND LAMP SERIES



FEATURES


- 1--High Quality 304 stainless steel , it will not rust and resist corrosion.
- 2--Low voltage or high voltage can be choose.
- 3--Contains no mercury.



INTRODUCE

Item	Material	Color	Working voltage	Power	Certificate	Beam Angle
LED Inground lamp	304 Stainless steel	Cool white Natural white Warm white Yellow Blue Red Green Amber RGB	12V 24V 85-265V AC	1W/2W 3W/5W 6W/7W 9W/12W 15W/18W 20W/24W 36W/50W	TUV CE ETL ERP Reach	30° 45° 60°

DMX LED DIGITAL TUBE SERIES



FEATURES

- 1--High Quality Aluminum, it will not rust and resist corrosion.
- 2--Low voltage or high voltage can be choose.
- 3--Contains no mercury.



INTRODUCE

Item	Material	Color	Working voltage	Power	Certificate	Beam Angle
LED Wall wash	Aluminum	Cool white Natural white Warm white Yellow Blue Red Green Amber RGB	12V 24V 85-265V AC	6W 12W 18W 24W 36W 72W	TUV CE ETL ERP Reach	30° 45° 60°